

20' X 40' MARTINIQUE LEFT 2'R





REV.

NOTES:


- THESE ARE FINISHED DIMENSIONS READY FOR THE LINER.
- 2. 3. DIMENSIONS ARE FROM INSIDE POOL PANELS.
- THE IDEAL WATER LEVER SHOULD BE TO THE MIDDLE OF THE SKIMMER OPENING(S)
- **EXCAVATION NÓTES**
- ROUGH EXCAVATION SHOULD BE 2" DEEPER IN EACH INSTANCE. SOIL TO HAVE MINIMUM BEARING CAPACITY OF 2000 PSF.
- 5. LOCATE TOP OF POOL AT LEAST 6" ABOVE THE SURROUNDING LAND 6.
- FI EVATION.
- SEE "OVER DIG DETAIL" FOR EXCAVATION AROUND POOL. 7.
- FILL VOIDS UNDER BASE OF PANELS AND TAMP WELL. 8. BACK FILL WITH NON-EXPANSIVE MATERIAL. 9
- **IMPORTANT NOTES:**


THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. THE DEALER OR CONTRACTOR WHO SELLS OR INSTALLS YOUR POOL IS AN INDEPENDENT CONTRACTOR AND IS NOT AN AGENT OF THE MANUFACTURER. THE CONSTRUCTION METHODS ILLUSTRATED HERE ARE SUGGESTIONS AND APPLY ONLY TO NORMAL GROUND CONDITIONS. THERE MAY BE ADDITIONAL PRECAUTIONS AND/OR METHODS OF CONSTRUCTION. PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER/BUILDER/CONTRACTOR.



"NO DIVING" WARNING LABELS MUST BE

INSTALLED IN NO DIVING AREAS ACCORDING TO ANSI SPECIFICATIONS





\UPDA	TED	\60392	

_				
BER		DESCRIPTION	QTY.	
		8' LIGHT PANEL	1	
		STEEL BRACE	20	
		8' PLAIN PANEL	3	
		8' AG PANEL		
		BOLT PACK 50 PCS	5	
		6"X12 5/8"		
		6		
		12'R 3' PLAIN PANEL	2	
	1:	2'R 5'3 1/2" PLAIN PANEL	1	
	4' PLAIN PANEL		2	
		2'R PANEL	2	
		2' PLAIN PANEL	1	
SIGNED BY: COLBOCH	CREATION DATE: 10/17/2012	SAMSON STEEL		
AILED BY: DETAILED DATE: colboch 8/30/2012		BY HYDRA POOLS		
olboch 11/16/2012		20' X 40' MARTINIQUE L	EFT 2'R	
rerial <not specified=""></not>				
		PART NUMBER: 60392	SCALE: 1:96 SHEET: 1 OF 1	

DESCRIPTION

REVISION HISTORY

DATE


STATUS


ECO

ΒY

20' X 40' MARTINIQUE LEFT 2'R







NOTES:

91


- THESE ARE FINISHED DIMENSIONS READY FOR THE LINER.
- DIMENSIONS ARE FROM INSIDE POOL PANELS. 2. 3.
- THE IDEAL WATER LEVER SHOULD BE TO THE MIDDLE OF THE SKIMMER OPENING(S)

EXCAVATION NOTES

- 5.
- ROUGH EXCAVATION SHOULD BE 2" DEEPER IN EACH INSTANCE. SOIL TO HAVE MINIMUM BEARING CAPACITY OF 2000 PSF. LOCATE TOP OF POOL AT LEAST 6" ABOVE THE SURROUNDING LAND 6. ELEVATION.
- SEE "OVER DIG DETAIL" FOR EXCAVATION AROUND POOL.
- FILL VOIDS UNDER BASE OF PANELS AND TAMP WELL. 8.
- BACK FILL WITH NON-EXPANSIVE MATERIAL. 9

IMPORTANT NOTES: THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. THE DEALER OR CONTRACTOR WHO SELLS OR INSTALLS YOUR POOL IS AN INDEPENDENT CONTRACTOR AND IS NOT AN AGENT OF THE MANUFACTURER. THE CONSTRUCTION METHODS ILLUSTRATED HERE ARE SUGGESTIONS AND APPLY ONLY TO NORMAL GROUND CONDITIONS. THERE MAY BE ADDITIONAL PRECAUTIONS AND/OR METHODS OF CONSTRUCTION. PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER/BUILDER/CONTRACTOR.





INSTALLED IN NO DIVING AREAS ACCORDING TO ANSI SPECIFICATIONS

