

NOTES:


- THESE ARE FINISHED DIMENSIONS READY FOR THE LINER.
- DIMENSIONS ARE FROM INSIDE POOL PANELS.
- THE IDEAL WATER LEVER SHOULD BE TO THE MIDDLE OF THE SKIMMER OPENING(S)

EXCAVATION NOTES:

- ROUGH EXCAVATION SHOULD BE 2" DEEPER IN EACH INSTANCE. SOIL TO HAVE MINIMUM BEARING CAPACITY OF 2000 PSF.
- LOCATE TOP OF POOL AT LEAST 6" ABOVE THE SURROUNDING LAND
- SEE "OVER DIG DETAIL" FOR EXCAVATION AROUND POOL.
- FILL VOIDS UNDER BASE OF PANELS AND TAMP WELL.
- BACK FILL WITH NON-EXPANSIVE MATERIAL.

IMPORTANT NOTES:

THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. THE DEALER OR CONTRACTOR WHO SELLS OR INSTALLS YOUR POOL IS AN INDEPENDENT CONTRACTOR AND IS NOT AN AGENT OF THE MANUFACTURER. THE CONSTRUCTION METHODS ILLUSTRATED HERE ARE SUGGESTIONS AND APPLY ONLY TO NORMAL GROUND CONDITIONS. THERE MAY BE ADDITIONAL PRECAUTIONS AND/OR METHODS OF CONSTRUCTION. PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER/BUILDER/CONTRACTOR.



	ITEM NO.	PART NUMBER				
	1	HPSD108P				
	2	HPSFOB	STEEL BRACE	12		
	3	HPSD104P	4' PLAIN PANEL	2		
	4	HPSD2R	R 2'R PANEL			
	5	HPSD108AG	8' AG PANEL	1		
	6	HPSD108L	8' LIGHT PANEL	1		
	8	HPS1916	BOLT PACK 50 PCS	3		
WE	ICHT:	DEGIGNED BY	CREATION DATE:			

ECO

BY

STATUS

11/5/2012 PRODUCTION NONE

DATE

			b	HPSD108L			8' LIGHT	PANEL	1
		8		HPS1916		BOLT PACK 50 PCS			3
00000731	86.515 VOL	UME:	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DESIGNED BY: RCOLBOCH	10/17/2012	SAMSON STEEL		
		20 Inch ³		RANCES DECIMALS: X ± 0.1	DETAILED BY: RCOLBOCH	DETAILED DATE: 8/30/2012	BY HYDRA POOLS		
	NA HEAT	DLOR: T TREAT:	XXX ± 0.005		LAST REVISED BY: rcolboch	11/14/2012	TITLE:	12' X 24' RECTANGLE	2'R
	NA NA TEX	INISH: XTURE:			MATERIAL: Material <not specified=""></not>	<			
OOOOC OOOOC	NA ——		(PART NUMBER:	60103	SCALE: 1:96 SHEET: 1 OF