14' X 28' RECTANGLE 6" R


D


DIMENSIONS	SQ FOOT	392	PERIMETER	83'2"	GALLONS	11054



ITEM NO.

PART NUMBEI







- THESE ARE FINISHED DIMENSIONS READY FOR THE LINER.
- 2. 3. DIMENSIONS ARE FROM INSIDE POOL PANELS.
- THE IDEAL WATER LEVER SHOULD BE TO THE MIDDLE OF THE SKIMMER OPENING(S)

EXCAVATION NOTES:


- ROUGH EXCAVATION SHOULD BE 2" DEEPER IN EACH INSTANCE. SOIL TO HAVE MINIMUM BEARING CAPACITY OF 2000 PSF. 5.
- LOCATE TOP OF POOL AT LEAST 6" ABOVE THE SURROUNDING LAND 6. FI EVATION.
- SEE "OVER DIG DETAIL" FOR EXCAVATION AROUND POOL. 7.
- FILL VOIDS UNDER BASE OF PANELS AND TAMP WELL. 8.
- BACK FILL WITH NON-EXPANSIVE MATERIAL. 9

IMPORTANT NOTES:

THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. THE DEALER OR CONTRACTOR WHO SELLS OR INSTALLS YOUR POOL IS AN INDEPENDENT CONTRACTOR AND IS NOT AN AGENT OF THE MANUFACTURER. THE CONSTRUCTION METHODS ILLUSTRATED HERE ARE SUGGESTIONS AND APPLY ONLY TO NORMAL GROUND CONDITIONS. THERE MAY BE ADDITIONAL PRECAUTIONS AND/OR METHODS OF CONSTRUCTION. PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER/BUILDER/CONTRACTOR.



INSTALLED IN NO DIVING AREAS ACCORDING TO ANSI SPECIFICATIONS



२		QTY.				
		6				
		14				
		8' LIGHT PANEL				
	6"	4				
		1				
		4				
	E	4				
		4' PLAIN PANEL	2			
SIGNED BY: CREATION DATE: COLBOCH 10/17/2012 railed BY: DETAILED DATE: COLBOCH 8/30/2012		SAMSON STEEL BY HYDRA POOLS				
st REVISED BY: LAST REVISED DATE: olboch 11/14/2012 TERIAL: aterial <not specified=""></not>		14' X 28' RECTANGLE 6"R				
		PART NUMBER: 60110	SCALE: 1:96 SHEET: 1 OF 1			

REVISION HISTORY								
	DATE	STATUS	ECO	BY				
	11/5/2012	PRODUCTION	NONE	RC				