

NOTES:

- THESE ARE FINISHED DIMENSIONS READY FOR THE LINER.
- DIMENSIONS ARE FROM INSIDE POOL PANELS.
- THE IDEAL WATER LEVER SHOULD BE TO THE MIDDLE OF THE SKIMMER OPENING(S)

EXCAVATION NOTES:

- ROUGH EXCAVATION SHOULD BE 2" DEEPER IN EACH INSTANCE. SOIL TO HAVE MINIMUM BEARING CAPACITY OF 2000 PSF.
- LOCATE TOP OF POOL AT LEAST 6" ABOVE THE SURROUNDING LAND
- SEE "OVER DIG DETAIL" FOR EXCAVATION AROUND POOL.
- FILL VOIDS UNDER BASE OF PANELS AND TAMP WELL.
- BACK FILL WITH NON-EXPANSIVE MATERIAL.

IMPORTANT NOTES:

THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. THE DEALER OR CONTRACTOR WHO SELLS OR INSTALLS YOUR POOL IS AN INDEPENDENT CONTRACTOR AND IS NOT AN AGENT OF THE MANUFACTURER. THE CONSTRUCTION METHODS ILLUSTRATED HERE ARE SUGGESTIONS AND APPLY ONLY TO NORMAL GROUND CONDITIONS. THERE MAY BE ADDITIONAL PRECAUTIONS AND/OR METHODS OF CONSTRUCTION. PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER/BUILDER/CONTRACTOR.






NO DIVING WARNING: ATTENTION DEALER/BUILDER: It is your responsibility to ensure the safety

package provided is delivered to the pool owner and that the "NO DIVING" labels are properly installed.



INSTALLED IN NO DIVING AREAS ACCORDING TO ANSI SPECIFICATIONS



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	HPSD108P	8' PLAIN PANEL	7
2	HPSFOB	STEEL BRACE	18
3	HPSD4R	4'R PANEL	4
4	HPSD108L	8' LIGHT PANEL	1
5	HPSD102P	2' PLAIN PANEL	4
6	HPSD108AG	8' AG PANEL	2
7	HPS1916	BOLT PACK 50 PCS	4

ECO

BY

		6 HPSD108AG				8' AG PANEL			2	
				7	HPS1916			BOLT PACK	50 PCS	4
D		86.515 VOL 2394.72	GHT: lbs UME: 20 Inch ³		ANCES	RCOLBOCH DETAILED BY:	CREATION DATE: 10/17/2012 DETAILED DATE:	SAMSON STEEL BY HYDRA POOLS		
	NG NUMBER:	CO NA HEAT	LOR:		XX ± 0.01 XXX ± 0.005	RCOLBOCH LAST REVISED BY: rcolboch MATERIAL:	8/30/2012 LAST REVISED DATE: 11/14/2012			E 2'R
	ENGINEERING DRAWING NUMBER: 0000799	NA TEX	NISH: (TURE:		ANGLE PROJECTION	Material <not specified<="" td=""><td>></td><td>SCALE:</td></not>	>			SCALE:
				_	, ,				00100	SHEET: 1 OF