
DIMENSIONS



177

## ADDITIONAL NOTES

Rough excavation should be 2" deeper in each instance.

**EXCAVATION NOTES** 

**GENERAL NOTES** 

hese are finished dimensions ready for the liner.

- Dimensions are from inside pool panels.
   The ideal water level should be to the middle of the skimmer opening(s).
- 2. Soil to have minimum bearing capacity of 2000 P.S.F.
  3. Locate top of pool at least 6" above surrounding land elevation.
  4. See 'Overdig Detail' for excavation around pool.
  5. Fill voids under base of panels and tamp well.


agent of the Manufacturer. The construction methods illustrated here are suggestions and apply only to normal ground conditions. There may be additional precautions and/or methods of The dealer or contractor who sells or installs your pool is an independant contractor and is not an THIS DOCUMENT IS FOR ILLUSTRATIVE PURPOSES ONLY. Proper installation is the responsibility of the dealer/builder/contractor.

**JAN 2007** 

CORNERSTONE

35'8" X 36' AMEBA

25 ≅ BILL OF MATERIALS  $\boldsymbol{\varpi}$ m U HP110D | (9'R) 2' OVAL INSERT | HP125D | (9'R) 3' ROMAN INSERT HP359LL 9'R PANEL (LIGHT HP115D | (9'R) 1' OVAL INSERT HP359A | 9'R PANEL (A/G) HP359 9'R PANEL HP319N | 9'R REVERSE (\*) HP316 | 1'8" SPECIAL PANEL HP399 | BRACE HP126 | 5° WEDGE HP315 PART 36'1/4" 15'2" 48 3'4<u>"</u> 7'2 4  $\infty$ 6" FILLER PANEL DESCRIPTION S 3 Z VAR 35'8" 4 <u>ත</u> PERIMETER 117'7" **APSP TYPE** OVERDIG DETAIL \*NOTE: REFER TO INSTALLATION MANUAL FOR MORE INFO. CONCRETE BOND BEAM 6" TO 8" DEEP UNDISTURBED EARTH APPROX 4" DEEP BRACE Η SQ. FOOTAGE - 2'6" OVERDIG -GALLONS POLYMER VINYL LINER BENCHMARK 25586 1282



It is your responsibility to ensure the safety package provided is delivered to the pool owner and that the "NO DIVING" labels are properly installed. ATTENTION DEALER/BUILDER

NO DIVING' WARNING LABELS MUST BE ACCORDING TO NSPI SPECIFICATIONS INSTALLED IN NO DIVING AREAS

NO DIVING
SHALLOW WATER
MAY CAUSE DEATH OR PERMANENT INJURY ADANGER

SUGGESTED LABEL LOCATIONS ARE SPECIFIED IN THE COPING LAYOUT



HGHT

AQUAGENIE 19







30950